

DECLARATION OF CONFORMITY AL-0000418903 rev.A
 (According to ISO/IEC 17050)

Allegion (UK) Ltd.

Declares under its sole responsibility that the Briton 4700 Trim Series, listed below have been tested in accordance with the EN 1906 requirements and achieved the below classification.

(See EN 1906:2012-12 test certificate No 29-1/15 PIV Briton 4700 Lever Handles)

SKU		
4701.20.140.SS	4702BP.EC.22.140.SS	4704.20.140.SS
4701.20.175.SS	4702BP.WC.22.140.SS.L	4705.20.140.SS
4701.22.140.SS	4702BP.WC.22.140.SS.R	4706.SS
4702BP.B22.140.SS	4703.20.140.SS	4708.SS


Coding system according to EN 1906								
Digit	1	2	3	4	5	6	7	8
	Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance	Security	Type of operation
Class	4	7	-	B	1	3	0	U

Furthermore, the listed products may be fitted to insulated timber or mineral composite based doorsets, to provide up to 120 minutes integrity performance and uninsulated metallic doorsets, to provide up to 240 minutes integrity performance if tested in accordance with BS EN 1634-1:2000.

(See Fire Assessment 143440 AR Issue 6 Briton lever sets and Fire Assessment 347332 AR Briton 5600 locks and 4700 handles)

This declaration of conformity is issued under the sole responsibility of Allegion (UK) Ltd.
 Signed for and on behalf of Allegion (UK) Ltd:

Chris Crampton
 Controller - Unitary EMEA, Finance and Accounting



Allegion (UK) Limited
 35 Rocky Lane
 Aston
 Birmingham
 B6 5RQ

5 May 2020